


63

ⓈB 313 264



EX LIBRIS

CONFIDENTIAL! *For official use only*

NOT TO BE TAKEN INTO FRONT-LINE TRENCHES

NOTES ON CAMOUFLAGE

EDITED AT THE ARMY WAR COLLEGE

SEPTEMBER, 1917



WASHINGTON
GOVERNMENT PRINTING OFFICE

1917

UG 771

U63



WAR DEPARTMENT,
Document No. 663,
Office of The Adjutant General.

WAR DEPARTMENT,
THE ADJUTANT GENERAL'S OFFICE,
Washington, June 19, 1917.

To all officers of the Army:

You are advised that this and all subsequent documents of a similar character which may be furnished to you from this office are to be regarded as strictly confidential. They are to be kept at all times in your personal possession, and are not to be copied, nor are any parts of their contents to be communicated, either directly or indirectly to the press nor to any persons not in the military or naval service of the United States. In Europe these documents are not to be carried into the front-line trenches, nor farther to the front than the usual post of the officers to whom issued.

Strict compliance with this injunction is enjoined upon every officer into whose hands any of these confidential documents may come.

BY ORDER OF THE SECRETARY OF WAR:

H. P. McCAIN,
The Adjutant General.

WAR DEPARTMENT,
Washington, September 12, 1917.

The following pamphlet, "Notes on Camouflage," is published for the information of all concerned.

[062.1 A. G. O.]

BY ORDER OF THE SECRETARY OF WAR:

H. L. SCOTT,
Major General, Chief of Staff.

OFFICIAL:

H. P. McCAIN,
The Adjutant General.

14264—17

(3)

664374



At the same time, the
The first of these
and the second of these
the third of these
the fourth of these
the fifth of these
the sixth of these
the seventh of these
the eighth of these
the ninth of these
the tenth of these

THE
OF
BY

THE
OF
BY

NOTES ON CAMOUFLAGE.

I. CONCEALMENT.

CONCEALMENT FROM AEROPLANE VIEW.—Emplacements, etc., are given away by—

1. Shadows.
2. Earthwork, traces of work, movement.
3. Tracks, blastmarks, flashes.

1. MEANS OF CONCEALMENT.

(a) Painted canvas.

(b) Raffia on wire netting.

(c) Strips of canvas on wire netting. (Vide p. 8, par. 7.)

Supplied by S. W. P.

(a) CANVAS.

Should always be sloped (at least 30°) over raised objects in order to eliminate shadow.

Must cover every particle of earthwork marks, materials used whilst working, etc.

Should be supported throughout; if not, flapping caused by wind will shake all color out and rip canvas.

Straight lines must be broken up.

(b) RAFFIA NETTING.

Surface about half covered with raffia (Gardener's bast, dyed).

In most cases advisable to supplement with local grass, especially over chalk, new sandbags, etc.

Can be imitated locally with bunches of hay tied firmly on netting and painted lightly.

(c) CANVAS STRIPS.

Colored strips about 10 inches long, $\frac{3}{4}$ inch wide, knotted on wire netting, are an excellent substitute for raffia. Torn painted canvas can be used.

2. GENERAL.

Generally speaking, all three above-mentioned materials are equally satisfactory, but (b) and (c) are lighter and do not offer much resistance to wind, blast, etc.

Absolutely necessary to study surroundings and apply suitable camouflage, especially as regards canvas supplied in bulk by S. W. P. E. g., do not use a "grass and earth" canvas on a chalk heap—sounds unlikely but actually happens.

Most essential—not to start work until arrangements for concealing and **keeping** concealed are **completed**.

Application of concealment after work is finished only draws attention to fact that there is something worth concealing.

3. COLOR.

It is **not sufficient** to paint a canvas merely grass green—such a canvas will show up light in a photograph and look like a plane surface. There must be shading to give idea of depth and form; without this, color is absolutely useless.

If painting canvases locally, in oil paints, be sure to use flat colors (flattened by adding excess of turps) to prevent shiny surface, and never store folded up, as there is danger of spontaneous combustion.

Canvas will not stand close direct view—raffia will

4. ROAD SCREENS.

Under conditions of light and angle of vision most favorable to enemy about 4,000 yards off, wire netting requires about two-thirds of the surface covered to conceal movement.

Material (such as branches, bunches of hay, canvas strips, raffia *supplemented* with local vegetation) that will stir in a breeze is better than threaded strips.

5. PAINTING SOLID OBJECTS.

Not much use painting solid objects to harmonize with surroundings unless a very long stay in the neighborhood is expected.

Better, therefore, aim at **destroying identity** by use of large, bold patches of green, cream, brown, with black definitions between each color about $\frac{1}{2}$ -inch broad.

Green and brown both occur frequently in nature; cream color is useful to separate them. Objects should be split up into numbers of dissociated pieces.

Paint dark on top; light underneath. Never stop pattern on an edge, but continue over it.

II. O. P.'S.

1. PARAPET.

The exact position having been chosen, S. W. P. requires to know following details:

(a) SANDBAG PARAPET.

Regular or irregular.	}	In this case dummy front is three sandbags high.
Color and condition.		
Distance from enemy.		

(b) SANDBAG BREASTWORK.

Regular or irregular.	}	Dummy front, four sandbags high, observer lying; otherwise, as dummy must be in front line of breastworks, the chest and body would require special protection.
Color and condition.		
Distance from enemy.		

(c) EARTH PARAPET.

Color and condition; i. e., grassy or mixed up with sandbags.	}	Observer up to his neck in ground.
Distance from enemy.		

N. B.—Because a parapet happens to be revetted with sandbags, it does not necessarily follow that the front is sandbags. Often it is earth and rubbish accumulated from trench cleanings. It is essential to get a view from the front. This is to insure suitable camouflage cover.

2. GAUZE.

Observation loophole is concealed by painted gauze.

Over 200 yards this may impede perfect view with glasses, but it is absolutely necessary to hide loopholes at short range, otherwise O. P. is bound to be discovered; where, as has happened, in one or two cases, observers deliberately removed gauze, the O. P. was shelled immediately.

Above 200 yards slits can be made in gauze without danger if done carefully, i. e., by cutting them where there would be a natural shadow, and not too big.

Nothing is so conspicuous as a black hole.

Good observation and invisibility are better than perfect observation and insecurity.

3. PERISCOPES.

Periscopes have limitations. Heights supplied: 7 feet 6 inches and 10 feet 6 inches.

(i) Magnification about $1\frac{1}{2}$, i. e., practically equal to human eye after allowing for optical losses, field about 14° . Greater magnification means smaller field.

(ii) Expensive and delicate instruments easily damaged if tampered with. Unfortunately this is only too common.

They ought never to be touched except to lower and clean object and eye glasses with something clean and soft, for lenses are easily scratched. The lowering and cleaning can be done without dismantling.

(iii) Very difficult to procure; every periscope tampered with means one O. P. less, as they will not be replaced.

They are only installed where no means of direct vision is possible.

4. TREES.

In selecting sites for "tree O. P." to hold observer, following points are important:

(1) Possibility of making approach invisible from air or direct view.

(2) Possibility of draining foundation.

(3) Certainty of seeing what it is wanted to observe at a height of about 16 or 18 feet.

The observer is rarely put higher, though dummy tree itself may be much higher.

(4) Absence of anything near spot (T. M., for example) that is normally subject to shelling. Actual damage to tree may reveal the idea.

5. GENERAL.

S. W. P. carry out the erection of all these O. P.'s—the preparatory work being completed by local troops before night of erection, in accordance with plans sent up beforehand by S. W. P.

III. SUGGESTIONS.

A few examples are given here to suggest possibilities and to promote new ideas.

Concealment of—

(i) T. M. Emplacement.

Painted shell hole.

Remains of R. E. dump.

(ii) Tracks.

(a) Grass or canvas pergola.

(b) Confusion of tracks not stopping at real emplacement, but continuing to dummy one.

(c) Continuing track (canvas) right over emplacement.

(iii) Blast mark.

Removable canvas or raffia.

(iv) Sniper's post.

(a) In making sandbag parapets, have many of the "choke ends" outward. These "chokes" distract eye and make it easy to conceal holes in parapet.

(b) Select parapet well covered with old tins.

(v) Any hole.

Painted gauze.

(vi) Gun emplacement.

R. E. dump.

(vii) Road.

Screen.

If there is a wall on your side of road, erect dummy wall on enemy side and remove real wall, if necessary.

IV. CAMOUFLAGE DEMANDS.

All demands should go through corps and army to S. W. P. and not to any detachment of it.

Specify how object or material is to be sent, i. e., by M. F. O. or by your lorries.

1. O. P. (other than parapet), ask for officer of S. W. P. to make reconnaissance.

2. Parapet O. P.'s or sniper's posts.—S. W. P. require to know details already enumerated in Section II. 1.

3. Covers for emplacements, etc.—S. W. P. make up canvas to required size from rolls 6 feet wide.

Do not ask for so many yards of "canvas painted green" or "mats."

Following details are necessary:

- (i) **Dimensions.**—The smaller being some multiple of 6 feet.
- (ii) **Type of ground.**—Before work is begun.
- (iii) **Type of gun**—or other purpose, e. g., T. M.—trench—dump—shell store, etc.
- (iv) Whether liable to close direct view or only view from aeroplane or balloon.

The normal size of canvas recommended for various permanent emplacements is as follows:

18-pounder, 6-inch howitzer, 36 by 36 feet.	} Subject to variation in special circumstances.
8-inch, 9.2-inch howitzer, 48 by 48 feet.	
60-pounder, 48 by 50 feet.	

4. **Raffia.**—Is normally supplied in rolls 10 yards long by 6 feet wide.

5. **Screens for special purposes**, such as flash—road—ask for S. W. P. officer.

6. **“Brickwork,” “tiles,”** can be furnished from stock giving description, dimensions, and purpose.

7. **Painted canvas strips** for knotting on to wire netting can be furnished from stock—specially suitable for road screening.

8. **Snipers' suits.**—Accurate description of locality in which they are to be used is necessary.

9. **Portable O. P.'s** for sentries—armored or unarmored—can be made representing common objects of front line, such as a turf, a petrol tin, discarded equipment, a sandbag, etc.

When asking for camouflage YOU CAN NOT SEND TOO MANY DETAILS.

V. TRANSPORT.

Canvas:

One 3-ton lorry takes 4,000 square yards.

One 30-hundredweight lorry takes 2,000 square yards.


One box car takes 1,000 square yards.


Raffia:


One 3-ton or 30-hundredweight lorry takes 50 rolls.

One box car takes 10 rolls.









THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

AN INITIAL FINE OF 25 CENTS
WILL BE ASSESSED FOR FAILURE TO RETURN
THIS BOOK ON THE DATE DUE. THE PENALTY
WILL INCREASE TO 50 CENTS ON THE FOURTH
DAY AND TO \$1.00 ON THE SEVENTH DAY
OVERDUE.

FEB 16 1943

APR 25 1984

REC. CIR. APR 27 '84

SEP 17 2004

Makers
Stockton, Calif.
PAT. JAN. 21, 1908

664374

YB 49803

UNIVERSITY OF CALIFORNIA LIBRARY

